

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/749,417	12/28/2000	Seung Wook Jung	P-173	5677
7590 12/28/2004		EXAMINER		
Fleshner & Kim, LLP 14500 Avion Parway			BELLO, AGUSTIN	
Suite 125			ART UNIT	PAPER NUMBER
Chantilly, VA 20151			2633	

DATE MAILED: 12/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/749,417	JUNG, SEUNG WOOK			
		Examiner	Art Unit			
		Agustin Bello	2633			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a repl period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailined patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be ting by within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on 18 A	ugust 2004.				
2a)⊠	This action is <b>FINAL</b> . 2b) ☐ This	s action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-3 and 6-27 is/are pending in the ap 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) 1-3 and 6-27 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.				
Applicati	on Papers					
9)[	The specification is objected to by the Examine	er.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	∍ 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex					
Priority u	ınder 35 U.S.C. § 119					
a)l	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureausee the attached detailed Office action for a list	s have been received. s have been received in Application in the second	on No ed in this National Stage			
Attachmen						
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da				
3) 🔲 Inforr	e of Dransperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date		atent Application (PTO-152)			

Art Unit: 2633

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 3, and 6-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Kremer (U.S. Patent No. 5,406,401).

Regarding claim 1, Kremer teaches a method for controlling a signal path in an optical transmission system, comprises: the path provision step of providing a subscriber service path in the form of first and second service signal paths (Figure 1); the step of detecting a fail by periodically checking the first and second service paths (column 3 line 67 – column 4 line 6); and the step of carrying out a conventional auto path protection function if the first service signal path has a fail (column 3 lines 3-20), or carrying out a new auto path protection function through a message communication channel included in the overhead of a STM-n signal if the second service signal path has a fail. Kremer further teaches add/drop multiplexers capable of through paths and add/drop functions (column 3 lines 21-34).

Regarding claims 3, 6-8, Kremer teaches add/drop multiplexers capable of through paths and add/drop functions (column 3 lines 21-34).

Regarding claims 9, 10, and 12, Kremer teaches the message transmission channel uses K1 and K2 bytes of the overhead of a STM-n signal for protection requests, Identification information, and status information (column 3 lines 3-20).

Art Unit: 2633

Regarding claims 11 and 13, Kremer appears to teach that the protection request signals and system status symbols include a no request signal representing that it is unnecessary to carry out protection; a switch signal for switching only the direction of a signal path; a round signal for assuring the continuity of a receiving signal; a reverse request switch signal which is a response signal to the switch signal; a reverse request round signal which is a response signal to the round signal; and a manual switch signal which is a manual path switch request an idle signal representing a normal state; a rounded signal representing the state in which switch protection is carried out; a manual switched signal representing the state in which manual path protection is carried out; a remote defect indication(RDI) signal notifying that a remote system signal has a defect; a signal fail(SF) signal representing the direction in which a fail is detected and an auto protection message is forwarded; and an initialization signal representing that a system is in the initialization state in that Kremer teaches that acknowledgment and transmission and reception of the K1 and K2 bytes for indicating failures and system status.

Regarding claim 14, Kremer teaches the step of protecting the new path is carried out only in the system of the ring operation mode (column 5 lines 26-54).

Regarding claim 15, Kremer teaches that in the step of protecting the new path, a message for protection (e.g. K1 byte column 3 lines 7) is transmitted in a single direction, and the system status (e.g. K2 byte column 3 lines 7) is transmitted in both directions.

Regarding claim 16, Kremer teaches the system having received the protection request signal delivers a response signal (e.g. acknowledgment column 3 lines 3) notifying the system having transmitted the request signal that the protection request signal has been normally carried out.

Art Unit: 2633

Regarding claim 17, Kremer inherently teaches that the system having received the response signal stops the delivering of the protection request signal (inherent in the purpose of the acknowledgement signal).

Regarding claim 18, Kremer teaches that in the step of protecting the new path, all systems before detecting a fail or carrying out protection are in the idle state (inherent e.g. no failures), and all systems in the idle state delivers a no-request signal(NRS) (inherent since there would be no need for service).

Regarding claim 19, Kremer teaches that in the step of protecting the new path, all fails that can be recognized by a system are represented as a signal fail(SF) (e.g. K1 and monitoring signal column 3 lines 3-20, column 3 line 67 – column 4 line 6), said SF including all fails that can affect path signal services (indicated in the monitoring signal).

Regarding claim 20, Kremer teaches that status information is exchanged between the nodes (via K2 byte).

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2 and 21-27,
- are rejected under 35 U.S.C. 103(a) as being unpatentable over Kremer (U.S. Patent No. 5,406,401).

Art Unit: 2633

Regarding claim 2, Kremer differs from the claimed invention in that Kremer fails to specifically teach that the first service signal path is a path for providing voice and low-speed data services, and the second service signal path is a path for providing high-speed and very high-speed data services. However, paths dedicated to either high-speed of low-speed services are well known in the art. Furthermore, Kremer teaches that the signals carried on the paths could range anywhere from OC-12 to OC-48 signals (column 3 lines 45-51), thereby teaching flexibility in the service rates available. Kremer's disclosure of a wide range of data rates would have suggested to one skilled in the art that it would have been possible to arrange the data according to the low and high services claimed by the applicant. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to arrange the communication signals of the system such that the first service signal path is a path for providing voice and low-speed data services, and the second service signal path is a path for providing high-speed and very high-speed data services.

Regarding claims 21-27, Kremer differs from the claimed invention in that Kremer fails to specifically teach the direction in which the various protection and status signals are sent and the direction in which the protected signals are sent after switching. However, one skilled in the art would clearly have had the ability to direct the signals in any desired direction including those claimed by the applicant. Furthermore, reversing and sending signals in opposite direction in an optical fiber communication system is very well known in the art. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have sent the protection and status information in the various directions claimed by the applicant.

Application/Control Number: 09/749,417 Page 6

Art Unit: 2633

### Response to Arguments

- 1. Applicant's arguments filed 8/18/04 have been fully considered but they are not persuasive. The applicant argues that the add/drop multiplexer of Kremer is not capable of the add/drop functionality claimed, and more particularly a through-path function. However, the examiner disagrees. The add/drop multiplexer of Kremer is clearly capable of the through path functionality claimed. Furthermore, through-paths are well established functions of even conventional add/drop multiplexers. The applicant has failed to differentiate the claimed subject matter from that of the cited art. As such the examiner maintains his position.
- 2. In response to applicant's argument that the add/drop multiplexer supports the add, drop and through functions claimed, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963).

### Conclusion

3. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

date of this final action.

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Agustin Bello whose telephone number is (571) 272-3026. The examiner can normally be reached on M-F 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571)272-3022. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Agustin Bello Examiner Art Unit 2633

M. R. SEDIGHIAN
PRIMARY EXAMINER